



Recommended Xerox Media for Xerox DOCUCOLOR 2045_5252_2060 (EUROPE)

Revision: Aug 2003

Last revision :This supersedes the Recommended Media for Xerox DocuColor 2045_60 list. Last issue June 2003

Any additions or part number changes since the last publication are indicated in Blue print.

Important Note:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage.

Test machines are maintained within specifications defined by user documentation.

* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5. Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks.
In addition, variances in machine reliability may occur due to extended use of some media types.

© 2003 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation.
Other company trademarks are also acknowledged.

Warranty disclaimer:

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products.

Customers should inquire directly of their paper distributor or manufacturer for any guidance when purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee.

The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best - Xerox supplies.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor.

For the most recent version of this list visit our website at www.xerox.com and select "Country", then "Supplies".



EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045 5252 2060

		Standard Cut Sizes				Grammage	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation															
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm	Weight (g/m2) Weight of the paper in grams per square meter	Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		High Capacity Stacker Compatible?			
Weight Range Specification ----->						64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm						
						Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		
Business Papers (Bond, xerographic, and laser grades)		Decurler Setting paper type																				
Xerox Digital Color Colotech + 70 gsm		A				3R97388		70		Tray 3 & 4		Tray 3 & 4										
						70		OK All Trays		OK All Trays												
				3R97386				70		OK All Trays		OK All Trays								Yes		
Xerox Digital Color Colotech + 90 gsm		A				3R95838		90		Tray 3 & 4		Tray 3 & 4										
						90		OK All Trays		OK All Trays								Yes				
						90		OK All Trays		OK All Trays								Yes				
Xerox Digital Color Colotech + 100 gsm		A		3R94642				90		OK All Trays		OK All Trays										
				3R94641		3R94643		90		OK All Trays		OK All Trays						Yes				
								90		OK All Trays		OK All Trays						Yes				
Xerox Digital Color Colotech + 120 gsm		A		3R94647		3R95839		100		Tray 3 & 4		Tray 3 & 4										
								100		OK All Trays		OK All Trays						Yes				
				3R94646		3R94648		100		OK All Trays		OK All Trays						Yes				
Xerox Digital Color Colotech Natural White 100 gsm		A				3R97397		100		OK All Trays		OK All Trays										
								100		OK All Trays		OK All Trays						Yes				
				3R97102		3R97103		100		OK All Trays		OK All Trays						Yes				
Xerox Digital Color Colotech Pastel Yellow 100 gsm		A		3R95195				100		OK All Trays		OK All Trays										
								120						Tray 3 & 4		Tray 3 & 4						
								120						OK All Trays		OK All Trays						
Xerox Digital Color Colotech+ 120 gsm		B				3R95840		120						Tray 3 & 4		Tray 3 & 4						
								120						OK All Trays		OK All Trays		Yes				
				3R94651		3R94653		120						OK All Trays		OK All Trays		Yes				
Uncoated Heavy Stocks		Decurler Setting paper type																				
Xerox Digital Color Colotech + 160 gsm		A				3R95841		160										Tray 3 & 4		Tray 3 & 4		
						160										OK All Trays		OK All Trays				
				3R94656		3R94658		160										OK All Trays		OK All Trays		
Xerox Digital Color Colotech Natural White 160 gsm		A				3R97398		160										Tray 3 & 4		Tray 3 & 4		
								160								OK All Trays		OK All Trays				
								160								OK All Trays		OK All Trays				
Xerox Digital Color Colotech + 200 gsm		A		3R95956				160										OK All Trays		OK All Trays		
						3R95842		200								Tray 3 & 4		Tray 3 & 4				
				3R94661		3R94662		200								OK All Trays		OK All Trays				
Xerox Digital Color Colotech Natural White 200 gsm		A				3R97399		200										Tray 3 & 4		Tray 3 & 4		
								200								OK All Trays		OK All Trays				
				3R95958				200								OK All Trays		OK All Trays				
Xerox Digital Color Colotech + 220 gsm		A				3R95843		220										Tray 3 & 4		Tray 3 & 4		
								220								OK All Trays		OK All Trays				
				3R94668		3R94670		220								OK All Trays		OK All Trays				
Xerox Digital Color Colotech + 250 gsm		A				3R95844		250										OK All Trays		OK All Trays		
								250										Tray 3				
				3R94671		3R94673		250										Manual Duplex				
Xerox Digital Color Colotech + 280 gsm		A				3R97099		280										Tray 3		Manual Duplex		
								280										Tray 3				
				3R97097				280										Manual Duplex				

For the most recent version of this list visit our website at www.xerox.com and select "Country", then "Supplies".

EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045 5252 2060

		Standard Cut Sizes				Grammage	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation													
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm	Weight (g/m2) Weight of the paper in grams per square meter	Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		High Capacity Stacker Compatible?	
Weight Range Specification ----->							64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm			
		Decurler Setting paper type					Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
Coated Text or Book Stocks C2S																				
Xerox Digital Color Colotech + Silk Coated 120 gsm	A				3R97594	120					Tray 3 & 4	Tray 3 & 4							Yes	
		3R97592	3R97593			120					Tray 3 Only	Tray 3 Only							Yes	
					3R97576	120					Tray 3 Only	Tray 3 Only							Yes	
Xerox Digital Color Colotech + Gloss Coated 120 gsm	A		3R97575			120					Tray 3 & 4	Tray 3 & 4							Yes	
		3R97574				120					Tray 3 Only	Tray 3 Only							Yes	
					3R97597	140								Tray 3 & 4	Tray 3 & 4					
Xerox Digital Color Colotech + Silk Coated 140 gsm	A		3R97596			140													Yes	
		3R97595				140													Yes	
					3R97579	140								Tray 3 & 4	Tray 3 & 4					
Xerox Digital Color Colotech + Gloss Coated 140 gsm	A		3R97578			140													Yes	
		3R97577				140													Yes	
Coated Heavy Stocks C2S		Decurler Setting paper type																		
Xerox Digital Color Colotech + Silk Coated 170 gsm	A		3R97599		3R97600	3R97599	3R97600									Tray 3 & 4	Tray 3 & 4		Yes	
		3R97598				170										Tray 3 Only	Tray 3 Only		Yes	
					3R97582	170											Tray 3 & 4	Tray 3 & 4		
Xerox Digital Color Colotech + Gloss Coated 170 gsm	A		3R97581			170										Tray 3 & 4	Tray 3 & 4		Yes	
		3R97580				170										Tray 3 Only	Tray 3 Only		Yes	
					3R97603	210										Tray 3 & 4	Tray 3 & 4			
Xerox Digital Color Colotech + Silk Coated 210 gsm	A		3R97602			210										Tray 3 Only	Tray 3 Only		Yes	
		3R97601				210										Tray 3 Only	Tray 3 Only		Yes	
					3R97585	210										Tray 3 & 4	Tray 3 & 4			
Xerox Digital Color Colotech + Gloss Coated 210 gsm	A		3R97584			210										Tray 3 & 4	Tray 3 & 4		Yes	
		3R97583				210										Tray 3 Only	Tray 3 Only		Yes	
Xerox Digital Color Colotech + Silk Coated 250 gsm	A		3R97605		3R97606	250												Tray 3 Only	Manual Duplex	
		3R97604				250												Tray 3 Only	Manual Duplex	
					3R97588	250													Tray 3 Only	Manual Duplex
Xerox Digital Color Colotech + Gloss Coated 250 gsm	A		3R97587			250												Tray 3 Only	Manual Duplex	
		3R97586				250												Tray 3 Only	Manual Duplex	
					3R97609	280													Tray 3 Only	Manual Duplex
Xerox Digital Color Colotech + Silk Coated 280 gsm	A		3R97608			280												Tray 3 Only	Manual Duplex	
		3R97607				280												Tray 3 Only	Manual Duplex	
					3R97591	280													Tray 3 Only	Manual Duplex
Xerox Digital Color Colotech + Gloss Coated 280 gsm	A		3R97590			280												Tray 3 Only	Manual Duplex	
		3R97589				280												Tray 3 Only	Manual Duplex	
																			Yes	

For the most recent version of this list visit our website at www.xerox.com and select "Country", then "Supplies".

EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045 5252 2060

		Standard Cut Sizes				Grammage	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation												
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm	Weight (g/m2) Weight of the paper in grams per square meter	Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		High Capacity Stacker Compatible?
Weight Range Specification ----->							64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm		
							Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
Super Gloss Coated Heavy Stocks C1S		Decurler Setting paper type																	
Xerox Digital Color Colotech + SuperGloss 135 Image quality will not be as good on second side	A	Select 106-135 gsm mode in Tray 3. Load with coated side up.																	
					3R95849	135								Tray 3 Only	Tray 3 Only				
			3R95452			135								Tray 3 Only	Tray 3 Only			Yes	
				3R95453		135								Tray 3 Only	Tray 3 Only			Yes	
		3R95451			135								Tray 3 Only	Tray 3 Only			Yes		
Xerox Digital Color Colotech + SuperGloss 160 Image quality will not be as good on second side	A	Select 151-220 gsm mode in Tray 3. Load with coated side up.																	
					3R95850	160									Tray 3 Only	Tray 3 Only			
			3R95455			160									Tray 3 Only	Tray 3 Only		Yes	
				3R95456		160									Tray 3 Only	Tray 3 Only		Yes	
		3R95454			160									Tray 3 Only	Tray 3 Only		Yes		
Xerox Digital Color Colotech + SuperGloss 210 Image quality will not be as good on second side	A				3R95851	210										Tray 3 Only	Tray 3 Only		
			3R95458			210									Tray 3 Only	Tray 3 Only		Yes	
				3R95459		210									Tray 3 Only	Tray 3 Only		Yes	
			3R95457			210									Tray 3 Only	Tray 3 Only		Yes	
Xerox Digital Color Colotech + SuperGloss 250 Image quality will not be as good on second side	A				3R97280	250											Tray 3 Only	Manual Duplex	
			3R97279			250											Tray 3 Only	Manual Duplex	Yes
		3R97278				250											Tray 3 Only	Manual Duplex	Yes
Specialties		Decurler Setting paper type				Various													
Xerox Digital Color Colotech Super 160 A4 Prescored White	A	3R95538	Second side image quality will not be as good as side one			160										Tray 3 Only	Tray 3 Only		Yes
Xerox Digital Color Colotech Super 210 A4 Prescored White	A	3R95539	Second side image quality will not be as good as side one			210										Tray 3 Only	Tray 3 Only		Yes
Xerox Digital Color Colotech Super 210 A4 Trifold White	A	3R95855	Second side image quality will not be as good as side one			210										Tray 3 Only	Tray 3 Only		Yes
Xerox DocuCard 500 sheet box 100 sheet box	A		Maximum of 50 sheet stacks																
		977L07446				160										Tray 3 Only	Tray 3 Only		
		3R97246																	
Xerox Never Tear	Default	Select Uncoated 151-220 gsm mode in Tray 3. Load image side up														Tray 3 Only	Tray 3 Only		
		3R96094				100 microns													
Xerox DuraPaper X250	A	Select Uncoated 151-220 gsm mode in Tray 3. Load image side up														Tray 3 Only	Tray 3 Only		Yes
					3R97513	250 microns													
Xerox DocuPac Glossy White Presentation folder	A	Select Coated 151-220 gsm mode in Tray 3- load glossy side up, score line trailing														Tray 3 Only	Tray 3 Only		
		3R97251				210													
Xerox DocuPac Matt Presentation folder	A	Select uncoated 151-220 gsm mode in Tray 3- load score line trailing.														Tray 3 Only	Tray 3 Only		
		3R97353	Image quality not as good as Colotech +			180													
Xerox Colotech Supergloss Document Folder	A	Select coated 221-280 gsm mode in Tray 3 for glossy side, uncoated 221-280 gsm for matt side																Tray 3 Only	Manual Duplex
					3R97634	250													
Xerox Laser Window GraphiX Clear (window decal)	A	Select coated 151-220 gsm mode in Tray 3- image side up.														Tray 3 Only	Tray 3 Only		
		3R97494				125 micron													
Xerox Laser Window GraphiX Opaque White (window decal)	A	Select coated 151-220 gsm mode in Tray 3- image side up.														Tray 3 Only	Tray 3 Only		
		3R97511				125 micron													
			3R97539																
Tab Stock		Decurler Setting paper type																	
			Select Uncoated 151-220 gsm mode in Tray 3. Load SEF																
Xerox Digital Color Colotech Tabs white 100x5 reverse	B	3R97231														Tray 3 Only	Tray 3 Only		
Xerox Digital Color Colotech Tabs white 50x10 reverse	B	3R97232					200									Tray 3 Only	Tray 3 Only		
Xerox Mylar Tabs White 100 X 5 reverse	B	3R97229														Tray 3 Only	Tray 3 Only		
Xerox Mylar Tabs White 50 X 10 reverse	B	3R97230														Tray 3 Only	Tray 3 Only		

For the most recent version of this list visit our website at www.xerox.com and select "Country", then "Supplies".

EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045 5252 2060

		Standard Cut Sizes				Grammage Weight (g/m2)	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation													
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm	Weight of the paper in grams per square meter	Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		High Capacity Stacker Compatible?	
Weight Range Specification ----->							64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm			
Transparencies		Decurler Setting paper type						Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
			Select Uncoated 221-280 gsm mode in Tray 3. Load transparency up																	
Xerox Paper backed transparency Type SFI (100 SHEET BOX)	Default		3R97340			200 micron												Tray 3 Only		Top Tray Only
Xerox Paper backed transparency Type SFI (250 SHEET BOX)	Default		3R97339			200 micron												Tray 3 Only		Top Tray Only
Xerox Paper backed transparency SRA3	Default				3R97352	200 micron												Tray 3 Only		Top Tray Only
Label Stock		Decurler Setting paper type					Label Stock (Approximately)													
Xerox Colour Laser Printer Labels																	Tray 3 Only			Top Tray Only
1 PER A4	C		3R93872			190											Tray 3 Only			Top Tray Only
6 PER A4			3R93873			190											Tray 3 Only			Top Tray Only
8 PER A4			3R93874			190											Tray 3 Only			Top Tray Only
14 PER A4			3R93875			190											Tray 3 Only			Top Tray Only
24 PER A4			3R93876			190											Tray 3 Only			Top Tray Only
Xerox laser Colour Gloss Coated Labels																				
1 PER A4	C		3R97288			190										Tray 3 Only				Top Tray Only
2 to view CD labels	C		3R97287			190										Tray 3 Only				Top Tray Only
Xerox CD label & CD insert Combi Box	C&A		3R97515			190 & 120						Tray 3 insert Only	Tray 3 insert Only			Tray 3 Only				Top Tray Only
Xerox Durapaper Label (polyolefin face material) 1 PER A4	C		3R97344			250										Tray 3 Only				Top Tray Only
			Select Uncoated 221-280 gsm mode in Tray 3. Load image side up																	
Xerox Glossy White Self Adhesive Label A4	Default		3R97245			190										Tray 3 Only				Top Tray Only
Xerox Glossy White Self Adhesive Label SRA3	Default				3R97348	190										Tray 3 Only				Top Tray Only
Xerox Crystal Clear Adhesive Label A4	Default		3R97244			190										Tray 3 Only				Top Tray Only
Xerox Crystal Clear Adhesive Label SRA3	Default				3R97347	190										Tray 3 Only				Top Tray Only

For the most recent version of this list visit our website at www.xerox.com and select "Country", then "Supplies".